

***Leica DISTO™***



# *Leica DISTO™ plus – exceeds your expectations*



## ***Quick and efficient***

*Measure in seconds, save time and money.*

## ***Easy to use***

*The clear keyboard makes it very user-friendly.*

## ***Precise and reliable***

*The most modern measuring technology ensures precise and reliable measurements.*



*Your decision to buy a Leica DISTO™ plus optimally prepares you for every application!  
The Leica DISTO™ plus is always the right choice!*



- *Typical accuracy:  $\pm 1.5$  mm ( $\pm 0.06$  in)*
- *The latest technology in an elegant design*
- *Built-in telescopic viewer*
- *Range: from 0.2 m up to 200 m (0.7 up to 650 ft)*
- *Measures distances, areas and volumes with a simple key press*

# *Leica DISTO™ plus – opens new dimensions*



## ***Creates automatically sketches and transfers wireless values***

*The Leica DISTO™ plus not only displays measurement values but can also process them (e.g. perform calculations, make out quotations).*

*Included in the scope of delivery are two free-of-charge software programs. The "PlusDraw" enables simple sketches of the measurement values on a pocket PC. The "PlusXL", enables importing measurement values to an Excel worksheet and editing them on a PC. You will be impressed by how easy the Leica DISTO™ plus, a PDA and a PC work together.*



*If you have been marking down your measurement values with pencil and paper, switch to the integrated **BLUETOOTH®** technology, which enables you to transfer your measurement values on-site through wireless data transmission to a PDA (pocket PC) or directly to a laptop.*



### **PlusDraw**



### **PlusXL**

Co	A	B	C	D
1	width	2.326		
2	H. 11.03			
3	wall north			
4				
5	length	width	area	
6	5.326	2.326	12.39 m <sup>2</sup>	
7				
8				
9				
10				
11				
12				

# Leica DISTO™ plus – impressive all-round



## **Lisa Miles**

*(Real estate agent)*

*"The Leica DISTO™ is child's play to use – it makes taking measurements fun. I also now have more time for my customers. I recommend this instrument to anybody."*



## **Fritz Becker**

*(Craftsman)*

*"Since I have been using a Leica DISTO™, I need only half the time for taking measurements. The investment has paid for itself in a very short time."*



**Total Quality Management –  
is our commitment to total  
customer satisfaction.**

Illustrations, descriptions and technical data are not binding and may be changed without notice. Printed in Switzerland. Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2004



*The top-model with the integrated BLUETOOTH® and  $\pm 1.5$  mm accuracy ( $\pm 0.06$  in), will please you and your customers: the advantages of the laser measurement technology are obvious.*

***Tomorrow's technology applied today!***



***Preparing for the future means:***

- Highest accuracy of  $\pm 1.5$  mm ( $\pm 0.06$  in)*
- Integrated BLUETOOTH® technology for wireless data transfer*
- Modern design and easy handling*

## All Leica DISTO™s at a glance

Technical data	plus	classic <sup>5</sup>	lite <sup>5</sup>
Measuring accuracy typ. (Display unit as off 100 m : 1 cm)	± 1.5 mm/0.06 in	± 3 mm/0.1 in	± 3 mm/0.1 in
Range (from about 70 m, use target plate)	0.2 up to 200 m 0.7 up to 650 ft	0.2 up to 200 m 0.7 up to 650 ft	0.2 up to 200 m 0.7 up to 650 ft
Time for a measurement	Distance Tracking	0.5 to about 4 sec. 0.16 to about 1 sec	
Units of measure	mm, cm, ft, ft in 1/16, in, in 1/16, '' 1/16	mm, cm, ft, ft in 1/16, in, in 1/16, '' 1/16	mm, ft in 1/16
Distance in m/ft Diameter of laser dot in mm/in	10, 50, 100 mm/32, 164, 328 ft 6, 30, 60 mm/0.2, 1.2, 2.4 in		
Distance, area, volume measurement	•	•	•
Time delay release	•	•	•
Tracking	•	•	
Min./max. distance tracking	•	•	
Pythagoras function	•	•	
Calculator	•	•	
Calculations, functions total	8	7	2
Changes, stores constants	10	10	0
Recall last 15 values	•	•	
Interface	BLUETOOTH® - Technology		
Free software PlusDraw/PlusXL	•		
Keyboard	Soft-Touch	Soft-Touch	Standard
Multiple line segment display	•	•	•
Illuminated LCD	•	•	•
Multifunctional end piece	•	•	
Alignment aid			•
Built-in telescopic viewer	•	•	
Built-in bubble	•	•	•
Hand loop	•	•	•
Holster	•	•	•
Measurements	up to 10000 (reduced when operated with BLUETOOTH®)	up to 10000	up to 10000
Batteries	Typ AA 2x1.5 V	Typ AA 2x1.5 V	Typ AA 2x1.5 V
Splash proof/ dust proof (IP54)	•	•	•
Dimensions	172x73x45 mm 6.8x2.9x1.8 in	172x73x45 mm 6.8x2.9x1.8 in	142x73x45 mm 5.6x2.9x1.8 in
Weight including batteries	350 g 12.35 oz.	335 g 11.81 oz.	315 g 11.11 oz.

System requirements and compatible PDA models can be found on [www.disto.com](http://www.disto.com)  
Warranty: 24 months as of date of purchase